

INSTITUTE OF RADIO PHYSICS AND ELECTRONICS

Telephone : (+91) (33) 2350 9115/9116/9413
 Fax : (+91) (33) 2351 5828
 Website : www.irpel.org

SISIR MITRA BHAVAN
 92, Acharya Prafulla Chandra Road
 Kolkata - 700 009 • India

From:
 Prof. A. Paul

RPE/MoES/365/2025
 December 30, 2025

To:
 The Engineer
 University of Calcutta.

Sub: Corrigendum for Tender EQ/RPE/MoES/326/2025 dated 04.12.2025

Sir,

With reference to the above-mentioned E-Tender, kindly note that some modifications in specifications are necessary as mentioned below:

Changes for GPU node:

4	Memory	512GB (16 x 32GB) RDIMM, 5600MT/s, Dual Rank scalable upto 2TB	512GB (8 x 64GB) RDIMM, 5600MT/s, Dual Rank scalable upto 2TB
5	GPU Card	4 x NVIDIA Ampere A2, PCIe, 60W, 16GB Passive, Single Wide, Full Height GPU,V2	4 x NVIDIA Ampere A2 / 3 x NVIDIA L4 or Higher
6	NVMe Drive	1 x 960GB Data CenterNVMe Read Intensive AG Drive U2 with carrier	1 x 1.92TB SSD SAS, Read Intensive, up to 24Gbps 512e 2.5in Hot-Plug, AG Drive
7	I/O Slots	Minimum PCIe 5.0 2 x16 slots.	Minimum PCIe 4.0/ 5.0 2 x 16 slots

Changes for Compute node:

6	NVMe Drive	1 x 960GB Data CenterNVMe Read Intensive AG Drive U2 with carrier	2 x 1.92TB SSD SAS
7	I/O Slots	Minimum PCIe 5.0 2 x16 slots.	Minimum PCIe 4.0/ 5.0 2 x 16 slots

Changes for Master node:

5	Storage controller	12Gbps PCIe controller, 8GB non- volatile cache supporting RAID 1, 5, 6, 10	12Gb/s SAS/SATA support with no onboard cache, focusing on basic RAID 0, 1, 10
---	--------------------	---	---

7	I/O Slots	Minimum PCIe 5.0 2 x16 slots.	Minimum PCIe 4.0/ 5.0 1 x 16 slots
---	-----------	-------------------------------	---

Also, in page 2, the date of completion should be 30 days instead of 120 days.

In this connection, I shall be thankful if you kindly take necessary action for uploading the corrigendum.

With best regards,

Yours sincerely,

A handwritten signature in blue ink that reads "Ashik Paul". The signature is written in a cursive style with a horizontal line underneath the name.

(ASHIK PAUL)

	eProcurement System of Government of West Bengal				
Published Corrigendum Details					
Date : 30-Dec-2025 12:56 PM					
 Print					
Organisation Chain :	UNIVERSITY OF CALCUTTA				
Tender ID :	2025_CU_966449_1				
Tender Ref No :	EQ/RPE/MoES/326/2025				
Tender Title :	EQ/RPE/MoES/326/2025				
Corrigendum Type :	Technical Bid				
Corrigendum Document Details					
Corr.No.	Corrigendum Title	Corrigendum Description	Published Date	Document Name	Doc Size(in KB)
1	Technical Specification Corrigendum	Technical Specification Corrigendum	30-Dec-2025 12:55 PM	cori.pdf 	241.35