



• • • • •
• • • • •
• • • • •
• • • • •

WIRED
FOR SAFETY



GOLDMEDAL
WIRES AND SYSTEMS



GW 18 03 25

Price List w. e. f. 18 March 2025.

FLAME RETARDANT Multi strand single core unsheathed flexible cables in voltage grade upto and including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 100	16 / 0.2	(90 mtr)	0.5	28	1295.00
06 101	24 / 0.2	(90 mtr)	0.75	24	1740.00
06 102	14 / 0.3	(90 mtr)	1.0	20	2290.00
06 103	22 / 0.3	(90 mtr)	1.5	16	3405.00
06 104	36 / 0.3	(90 mtr)	2.5	10	5435.00
06 105	56 / 0.3	(90 mtr)	4.0	8	8075.00
06 106	84 / 0.3	(90 mtr)	6.0	6	12075.00
Supplied in 90 mtr. box packing					
06 107	140 / 0.3	(90 mtr)	10.0	5	18940.00
06 108	126 / 0.4	(90 mtr)	16.0	-	30775.00
06 109	196 / 0.4	(90 mtr)	25.0	-	48535.00
06 110	276 / 0.4	(90 mtr)	35.0	-	70335.00
06 111	396 / 0.4	(90 mtr)	50.0	-	107115.00
06 112	556 / 0.4	(90 mtr)	70.0	-	149075.00
Supplied in Polythene & cloth packing					
06 123	28 / 0.3	(90 mtr)	2.0	12	4160.00
Supplied in 90 mtr. box packing					
FLAME RETARDANT Multi strand single core unsheathed flexible cables in voltage grade upto and including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 129	14 / 0.3	(45 mtr)	1.0	40	1100.00
06 130	22 / 0.3	(45 mtr)	1.5	32	1645.00
06 131	36 / 0.3	(45 mtr)	2.5	20	2630.00
06 132	56 / 0.3	(45 mtr)	4.0	16	3955.00
06 133	84 / 0.3	(45 mtr)	6.0	12	5755.00
06 150	28 / 0.3	(45 mtr)	2.0	24	2020.00
Supplied in 45 mtr. pouch packing					
06 134	24 / 0.2	(180 mtr)	0.75	12	3330.00
06 135	32 / 0.2	(180 mtr)	1.0	10	4395.00
06 136	30 / 0.25	(180 mtr)	1.5	8	6425.00
06 137	50 / 0.25	(180 mtr)	2.5	5	10350.00
06 143	56 / 0.3	(180 mtr)	4.0	4	15945.00
06 144	84 / 0.3	(180 mtr)	6.0	3	23635.00
06 138	28 / 0.3	(180 mtr)	2.0	6	8065.00
Supplied in 180 mtr. pouch packing					
06 139	24 / 0.2	(270 mtr)	0.75	10	4945.00
06 140	32 / 0.2	(270 mtr)	1.0	10	6390.00
06 141	30 / 0.25	(270 mtr)	1.5	10	9345.00
06 142	50 / 0.25	(270 mtr)	2.5	5	15060.00
06 156	28 / 0.3	(270 mtr)	2.0	4	11935.00
Supplied in 270 mtr. pouch packing					
06 146	32 / 0.2	(500 mtr)	1.0	4	11825.00
06 147	30 / 0.25	(500 mtr)	1.5	4	17300.00
06 148	50 / 0.25	(500 mtr)	2.5	3	27885.00
06 149	56 / 0.3	(500 mtr)	4.0	1	43000.00
Supplied in 500 mtr Plastic Drum Packing					

FR-LSH (FLAME RETARDANT LOW SMOKE HALOGEN) Multi strand single core unsheathed flexible cables in voltage grade upto & including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 159	24 / 0.2	(90 mtr)	0.75	24	1770.00
06 162	14 / 0.3	(90 mtr)	1.0	20	2330.00
06 163	22 / 0.3	(90 mtr)	1.5	16	3470.00
06 164	36 / 0.3	(90 mtr)	2.5	10	5580.00
06 165	56 / 0.3	(90 mtr)	4.0	8	8350.00
06 161	84 / 0.3	(90 mtr)	6.0	6	12295.00
06 191	140 / 0.3	(90 mtr)	10.0	5	20470.00
Supplied in 90 mtr. box packing					
06 192	32 / 0.2	(180 mtr)	1.0	10	4435.00
06 193	30 / 0.25	(180 mtr)	1.5	8	6520.00
06 194	50 / 0.25	(180 mtr)	2.5	5	10525.00
06 195	56 / 0.3	(180 mtr)	4.0	4	16515.00
06 196	84 / 0.3	(180 mtr)	6.0	3	24335.00
06 197	140 / 0.3	(180 mtr)	10.0	3	40325.00
Supplied in Polythene & cloth packing					
HR FR LF (HEAT RESISTANT FLAME RETARDANT LEAD FREE) Multi strand single core unsheathed flexible cables in voltage grade upto & including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 166	14 / 0.3	(90 mtr)	1.0	20	2555.00
06 167	22 / 0.3	(90 mtr)	1.5	16	3880.00
06 168	36 / 0.3	(90 mtr)	2.5	10	6075.00
06 169	56 / 0.3	(90 mtr)	4.0	8	8990.00
Supplied in 90 mtr. box packing					
PVC INSULATED UNSHEATHED COPPER VIR TWISTED WIRE					
Product Code	No. / Dia of Wire in mm.	Length in mtrs.	S.W.G	MRP ₹ Per Coil	
06 174	-	1 / 044	(90 mtr)	1 / 18	2265.00
06 175	-	1 / 040	(90 mtr)	1 / 19	1935.00
06 176	-	1 / 036	(90 mtr)	1 / 20	1630.00
06 177	-	1 / 032	(90 mtr)	1 / 21	1390.00
06 178	ECO	3 / 036	(90 mtr)	3 / 20	3940.00
06 179 *	HVY	3 / 036	(90 mtr)	3 / 20	4500.00
06 180	-	7 / 036	(90 mtr)	7 / 20	9975.00
06 182	-	7 / 044	(90 mtr)	7 / 18	14725.00
06 183	HVY	7 / 064	(90 mtr)	7 / 16	30680.00
06 184	ECO	7 / 064	(90 mtr)	7 / 16	27845.00
06 185	-	19 / 044	(90 mtr)	19 / 18	41645.00
06 186	HVY	19 / 064	(90 mtr)	19 / 16	86575.00
06 187	ECO	19 / 064	(90 mtr)	19 / 16	76515.00
06 188	-	19 / 083	(90 mtr)	19 / 14	144835.00
Supplied in Polythene & cloth packing.					
06 189	ECO	3 / 036	(450 mtr)	3 / 20	19630.00
06 190	HVY	3 / 036	(450 mtr)	3 / 20	21565.00
Supplied in 450 mtrs. PP Reel with carton packing.					

HFFR (HALOGEN FREE FLAME RETARDANT) Multi strand single core unsheathed flexible cables in voltage grade upto & including 1100 V.					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 170	14 / 0.3	(90 mtr)	1.0	20	2560.00
06 171	22 / 0.3	(90 mtr)	1.5	16	3900.00
06 172	36 / 0.3	(90 mtr)	2.5	10	6120.00
06 173	56 / 0.3	(90 mtr)	4.0	8	9060.00
Supplied in 90 mtr. box packing					

Three core flat flexible industrial cable for SUBMERSIBLE pump motors 1100 voltage grade as per is : 694:2010					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 209	30 / 0.25	(100 mtr)	1.5	5	11465.00
06 210	50 / 0.25	(100 mtr)	2.5	4	18120.00
06 211	56 / 0.3	(100 mtr)	4.0	3	27710.00
06 212	84 / 0.3	(100 mtr)	6.0	2	41090.00
06 213	140 / 0.3	(100 mtr)	10.0	2	69165.00
06 214	126 / 0.4	(100 mtr)	16.0	1	109380.00
06 215	196 / 0.4	(100 mtr)	25.0	1	164815.00
06 216	276 / 0.4	(100 mtr)	35.0	1	224985.00
Supplied in 100 mtr. Woven Bag Packing					
06 217	30 / 0.25	(300 mtr)	1.5	1	34395.00
06 218	50 / 0.25	(300 mtr)	2.5	1	54350.00
06 221	56 / 0.3	(300 mtr)	4.0	1	83120.00
06 222	84 / 0.3	(300 mtr)	6.0	1	123255.00
06 223	140 / 0.3	(300 mtr)	10.0	1	207480.00
Supplied in 300 mtr. Woven Bag Packing					
06 219	30 / 0.25	(500 mtr)	1.5	1	57325.00
06 220	50 / 0.25	(500 mtr)	2.5	1	90580.00
06 224	56 / 0.3	(500 mtr)	4.0	1	138515.00
06 225	84 / 0.3	(500 mtr)	6.0	1	205420.00
Supplied in 500 mtr Woven Bag Packing.					
06 219D	30 / 0.25	(500 mtr)	1.5	1	58405.00
06 220D	50 / 0.25	(500 mtr)	2.5	1	91650.00
06 224D	56 / 0.3	(500 mtr)	4.0	1	139625.00
06 225D	84 / 0.3	(500 mtr)	6.0	1	207625.00
06 226D	140 / 0.3	(500 mtr)	10.0	1	345800.00
06 235D	56 / 0.3	(1000 mtr)	4.0	1	279230.00
Supplied in 500 mtr. & 1000 mtr Wooden Drum Packing.					

Three core flat industrial cables with bare copper conductor XLPE insulated & sheathed with PVC for SUBMERSIBLE pump motors 1100 voltage					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 951D	22 / 0.3	(500 mtr)	1.5	1	60100.00
06 952D	36 / 0.3	(500 mtr)	2.5	1	92530.00
06 953D	56 / 0.3	(500 mtr)	4.0	1	139550.00
06 954D	84 / 0.3	(500 mtr)	6.0	1	207165.00
06 955D	120 / 0.3	(500 mtr)	8.0	1	289460.00
06 956D	140 / 0.3	(500 mtr)	10.0	1	347340.00
Supplied in 500 mtr Wooden Drum Packing					

CCTV CableS				
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Std. Pkg.M Carton	MRP ₹ Per Coil
06 250	14 / 0052(3+1)	(90 mtr)	8	3895.00
06 251	14 / 0052(4+1)	(90 mtr)	8	4270.00
Supplied in 90 mtr. BOX packing				
06 252	14 / 0052(3+1)	(305 mtr)	2	13200.00
06 253	14 / 0052(4+1)	(305 mtr)	2	14470.00
Supplied in 305 mtr. Box packing with Wooden Drum.				

Twin Flat / Twin Parallel wire				
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Std. Pkg.M Carton	MRP ₹ Per Coil
06 258	Twin flat	23 / 0060 (90 mtr)	10	2215.00
06 259	Twin Parallel	23 / 0060 (90 mtr)	12	1965.00
Supplied in 90 mtr. pouch packing				

PVC insulated two core twisted Flexible copper wire				
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Std. Pkg.M Carton	MRP ₹ Per Coil
06 270	Serial wire	10 / 0076 (90 mtr)	24	1130.00
06 271	Tin coated	10 / 0076 (90 mtr)	24	1210.00
06 272	Heavy	14 / 0052 (90 mtr)	20	1130.00
06 274	Heavy	23 / 0052 (90 mtr)	20	1605.00
06 276	Heavy	35 / 0048 (90 mtr)	10	2345.00
06 277	Heavy	40 / 0052 (90 mtr)	10	2705.00
Supplied in 90 mtr. pouch packing				
06 285	Serial Wire	10 / 0076 (500 mtr)	2	6375.00
06 286	Heavy	23 / 0052 (500 mtr)	2	9025.00
06 287	Heavy	35 / 0048 (500 mtr)	1	13020.00
Supplied in Bucket Mix & Red/Black Only.				

Speaker wire twin parallel TCBC				
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Std. Pkg.M Carton	MRP ₹ Per Coil
06 293	TCBC	14 / 0060 (90 mtr)	20	1525.00
06 294	TCBC	23 / 0060 (90 mtr)	20	2320.00
06 295	TCBC	40 / 0060 (90 mtr)	7	4315.00
Supplied in 90 mtr. pouch packing				
06 301	TCBC	23 / 0060 (450 mtr)	2	11590.00
06 302	TCBC	40 / 0060 (450 mtr)	2	21575.00
Supplied in 450 mtr. drum packing				

PVC insulated sheathed ROUND FLEXIBLE copper wire					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	No. of Core	Std. Pkg. M Carton	MRP ₹ Per Coil
06 306	23 / 0060	(90 mtr)	2 Core	7	2390.00
06 307	23 / 0060	(90 mtr)	3 Core	7	3570.00
06 308	40 / 0060	(90 mtr)	2 Core	7	3815.00
06 309	40 / 0060	(90 mtr)	3 Core	5	5655.00
Supplied in 90 mtr. Polythene packing					

Three core flat industrial cable for SUBMERSIBLE pump motors 1100 voltage grade as per is:694:2010					
06 227	120 / 0.3	(100 mtr)	8.0	1	57455.00
Supplied in 100 mtr. Woven Bag Packing.					
06 233D	120 / 0.3	(500 mtr)	8.0	1	287210.00
Supplied in 500 mtr. Wooden Drum Packing.					

Branch & Drop Jelly flooded CO-AXIAL cables (Copper & CCS)					
Product Code	No. / Dia of Wire in mm	Length in mtrs.	Std. Pkg.M Carton	MRP ₹ Per Coil	
06 228	-	RG-59F	(100 mtr)	8	2170.00
06 229	CU	RG-06	(100 mtr)	8	3295.00
06 230	CCS	RG-06	(100 mtr)	8	1960.00
06 231	-	RG-08	(100 mtr)	4	3660.00
06 232	-	RG-11	(100 mtr)	-	6840.00
Supplied in 100 mtr. Carton packing					
06 243	-	RG-59F	(305 mtr)	2	6620.00
06 244	CU	RG-06	(305 mtr)	2	10050.00
06 245	CCS	RG-06	(305 mtr)	2	5980.00
06 246	-	RG-08	(305 mtr)	2	11165.00
06 247	-	RG-11	(305 mtr)	-	20865.00
Supplied in 305 mtr. wooden drum with carton packing.					

COMPUTER and LAN Networking cable (Copper & CCS)					
Product Code	No. of Pairs	Length in mtrs.	Std. Pkg.M Carton	MRP ₹ Per Coil	
06 333	-	CAT 6e UTP	(100 mtr)	6	5115.00
Supplied in 100 mtr. Woven Bag Packing (Blue & Grey)					
06 335	-	CAT 5e UTP	(305 mtr)	2	10800.00
06 336	-	CAT 6e UTP	(305 mtr)	2	15255.00
06 337	CCS	CAT 5e UTP	(305 mtr)	2	5800.00
06 338	CCS	CAT 6e UTP	(305 mtr)	2	6000.00
Supplied in 305 mtr. box packing with PP Rolling Drum.					

SINGLE CORE PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black)					
Product Code	No. / Dia of Wire in inch.	Length in mtr.	No./Dia of Wire in sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 355	7/0.036(7/20)	(90 mtr.)	4.5	6	1770.00
06 356	7/0.044(7/18)	(90 mtr.)	6.0	6	2310.00
06 357	7/0.064(7/16)	(90 mtr.)	16.0	5	4080.00
06 358	7/0.083(7/14)	(90 mtr.)	25.0	4	6195.00
06 365 *	7/0.100(7/12)	(90 mtr.)	35.0	-	8370.00
06 359	19/0.064(19/16)	(90 mtr.)	50.0	-	9195.00
06 360	19/0.083(19/14)	(90 mtr.)	70.0	-	13620.00
Supplied in 100 yds Woven bag packing.					
06 377	7/0.036(7/20)	(450 mtr.)	4.5	2	8840.00
06 378	7/0.044(7/18)	(450 mtr.)	6.0	2	11515.00
06 379	7/0.064(7/16)	(450 mtr.)	16.0	1	20395.00
06 380	7/0.083(7/14)	(450 mtr.)	25.0	1	18575.00
06 381	7/0.083(7/14)	(450 mtr.)	25.0	1	30955.00
Supplied in 500 & 300 yds Woven bag packing.					

PVC insulated sheathed SINGLE CORE SOLID Aluminium cables upto & including 1100 Volts					
Product Code	No. / Dia of Wire in mm	Length in mtr.	Nominal Area cond. sq. mm	Std. Pkg. M Bag	MRP ₹ Per Coil
06 417	1 / 0.070	(90 mtr.)	2.5	12	1065.00
06 418	1 / 0.089	(90 mtr.)	4.0	10	1440.00
06 419	1 / 0.110	(90 mtr.)	6.0	7	1915.00
06 420	1 / 0.140	(90 mtr.)	10.0	6	2635.00
Supplied in 100 yds with Woven bag packing.					

PVC insulated sheathed TWIN CORE SOLID Aluminium cables upto & including 1100 Volts					
Product Code	No. / Dia of Wire in mm	Length in mtr.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 431	1 / 0.070	(90 mtr.)	2.5	7	1890.00
06 432	1 / 0.089	(90 mtr.)	4.0	6	2435.00
06 433	1 / 0.110	(90 mtr.)	6.0	5	3470.00
06 434	1 / 0.140	(90 mtr.)	10.0	4	5335.00
06 435	1 / 0.175	(90 mtr.)	16.0	3	7970.00
Supplied in 100 yds with Woven bag packing.					
06 437	1 / 0.070	(450 mtr.)	2.5	2	9450.00
06 438	1 / 0.089	(450 mtr.)	4.0	2	12165.00
06 439	1 / 0.110	(450 mtr.)	6.0	1	17340.00
06 440	1 / 0.140	(450 mtr.)	10.0	1	26675.00
06 441	1 / 0.175	(450 mtr.)	16.0	1	39845.00
Supplied in 500 yds with Woven bag packing					

TELEPHONE SWITCHBOARD cables as per G/WIR 03/03, 06/03 & ITD S/WS 113B					
Product Code	No. of Pairs	Length in mtrs.	Nominal Area cond. sq. mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 461	1 Pair	(90 mtr)	0.50	20	1260.00
06 462	2 Pair	(90 mtr)	0.50	14	2395.00
Supplied in pouch packing with carton.					
06 463	3 Pair	(90 mtr)	0.50	10	3420.00
06 464	4 Pair	(90 mtr)	0.50	10	4405.00
06 465	5 Pair	(90 mtr)	0.50	5	5385.00
06 466	6 Pair	(90 mtr)	0.50	-	6440.00
06 467	7 Pair	(90 mtr)	0.50	-	7485.00
06 468	8 Pair	(90 mtr)	0.50	-	8610.00
06 469	10 Pair	(90 mtr)	0.50	-	10980.00
06 472	20 Pair	(90 mtr)	0.50	-	22095.00
Supplied in Polythene packing					
06 490	1 Pair	(450 mtr)	0.50	2	6155.00
06 491	2 Pair	(450 mtr)	0.50	2	11715.00
Supplied in 450 mtr. wooden Drum.					
06 493	1 Pair	(90 mtr)	0.40	20	930.00
06 494	2 Pair	(90 mtr)	0.40	14	1815.00
Supplied in pouch packing					
06 495	1 Pair	(450 mtr)	0.40	2	4520.00
06 496	2 Pair	(450 mtr)	0.40	2	8855.00
Supplied in 450 mtr. wooden Drum					

TWIN FLAT PVC insulated Aluminum conductor sheathed weather proof Service wire. (Black & White)					
Product Code	No. / Dia of Wire in inch.	Length in mtr.	S.W.G	Std. Pkg.M Carton	MRP ₹ Per Coil
06 392	7/0.036	(90 mtr.)	7 / 20	4	3780.00
06 393	7/0.044	(90 mtr.)	7 / 18	4	4570.00
06 394	7/0.064	(90 mtr.)	7 / 16	3	8045.00
Supplied in 100 yds with Woven bag packing.					
06 405	7/0.036	(450 mtr.)	7 / 20	1	18900.00
06 406	7/0.044	(450 mtr.)	7 / 18	1	22850.00
06 407	7/0.064	(450 mtr.)	7 / 16	1	40215.00
Supplied in 500 yds with Woven bag packing.					

MULTICORE ROUND FR PVC insulated copper conductor sheathed black cables in voltage grade up to and including 1100V with bright annealed bare copper based on IS 694					
Product Code	Size in sq. mm	No. of Core	No.ofStrands/ Dia of Strand	Std. Pkg.M Carton	MRP ₹ Per Coil
06 502	0.50	2 Core	16 / 0.20	7	3540.00
06 503	0.50	3 Core	16 / 0.20	7	4905.00
06 504	0.50	4 Core	16 / 0.20	5	6150.00
06 505	0.75	2 Core	24 / 0.20	7	4795.00
06 506	0.75	3 Core	24 / 0.20	7	6435.00
06 507	0.75	4 Core	24 / 0.20	5	8170.00
06 508	1.00	2 Core	32 / 0.20	5	5715.00
06 509	1.00	3 Core	32 / 0.20	5	8010.00
06 510	1.00	4 Core	32 / 0.20	5	10425.00
06 511	1.50	2 Core	30 / 0.25	5	7615.00
06 512	1.50	3 Core	30 / 0.25	5	10975.00
06 513	1.50	4 Core	30 / 0.25	5	14580.00
06 514	2.50	2 Core	50 / 0.25	5	12470.00
06 515	2.50	3 Core	50 / 0.25	4	17735.00
06 516	2.50	4 Core	50 / 0.25	3	23215.00
06 517	4.00	2 Core	56 / 0.30	4	19940.00
06 518	4.00	3 Core	56 / 0.30	3	28720.00
06 519	4.00	4 Core	56 / 0.30	2	37450.00
06 520	6.00	2 Core	84 / 0.30	2	28405.00
06 521	6.00	3 Core	84 / 0.30	2	41365.00
06 522	6.00	4 Core	84 / 0.30	1	54445.00
06 523	10.00	3 Core	140 / 0.30	1	67005.00
06 524	10.00	4 Core	140 / 0.30	1	87115.00
06 525	16.00	3 Core	101 / 0.45	1	97520.00
06 526	16.00	4 Core	101 / 0.45	1	144500.00
06 527	25.00	3 Core	168 / 0.45	1	219105.00
06 528	25.00	4 Core	168 / 0.45	1	289470.00
06 529	35.00	3 Core	220 / 0.45	1	294720.00
06 530	35.00	4 Core	220 / 0.45	1	392960.00
Supplied in 100 mtr. Woven bag packing.					
06 531	1.00	2 Core	32 / 0.20	1	28815.00
06 532	1.00	3 Core	32 / 0.20	1	40415.00
06 534	1.50	2 Core	30 / 0.25	1	38445.00
06 535	1.50	3 Core	30 / 0.25	1	55390.00
06 537	2.50	2 Core	50 / 0.25	1	62960.00
06 538	2.50	3 Core	50 / 0.25	1	89535.00
Supplied in 500 mtr in Woven bag & 1000 mtr in Drum					

PVC insulated single core unsheathed stranded aluminum wire voltage grade 1100 volts as per is:694 twisted.					
Product Code	No. / Dia of Wire in inches.	Length in mtr.	No. / Dia of Wire in Sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 551	7 / .034	(90 mtr.)	4.0 Sq.mm	12	1570.00
06 552	7 / .041	(90 mtr.)	6.0 Sq.mm	12	2140.00
06 553	7 / .053	(90 mtr.)	10.0 Sq.mm	5	2910.00
06 554	7 / .067	(90 mtr.)	16.0 Sq.mm	5	4125.00
06 555	19 / .051	(90 mtr.)	25.0 Sq.mm	4	7500.00
06 556	19 / .060	(90 mtr.)	35.0 Sq.mm	4	8555.00
Supplied in 90 mtrs. Cloth & Polythene packing.					
06 561	7 / .034	(450 mtr.)	4.0 Sq.mm	1	7825.00
06 562	7 / .041	(450 mtr.)	6.0 Sq.mm	1	10665.00
Supplied in 450 mtrs. PP Reel with Carton packing.					

PVC insulated Twin Flat sheathed stranded aluminum wire voltage grade 1100 volts as per is:694 (Black)					
Product Code	No. / Dia of Wire in inches.	Length in mtr.	No. / Dia of Wire in Sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 563	7 / .034	(90 mtr.)	4.0 Sq.mm	5	2990.00
06 564	7 / .041	(90 mtr.)	6.0 Sq.mm	4	4405.00
06 565	7 / .053	(90 mtr.)	10.0 Sq.mm	4	6165.00
06 566	7 / .067	(90 mtr.)	16.0 Sq.mm	3	8355.00
Supplied in 100 yds. with Woven bag packing.					
06 567	7 / .034	(450 mtr.)	4.0 Sq.mm	1	14945.00
06 568	7 / .041	(450 mtr.)	6.0 Sq.mm	1	22010.00
06 569	7 / .053	(450 mtr.)	10.0 Sq.mm	1	30805.00
06 570	7 / 0.67	(450 mtr.)	16.0 Sq.mm	1	41770.00
Supplied in 500 yds. with Woven bag packing.					

PVC insulated single core unsheathed stranded aluminum wire voltage grade 1100 volts as per is:694 twisted.(white)					
Product Code	No. / Dia of Wire in inches.	Length in mtr.	No. / Dia of Wire in Sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 571	7 / .034	(90 mtr.)	4.0 Sq.mm CTS	12	1920.00
06 572	7 / .041	(90 mtr.)	6.0 Sq.mm CTS	12	2280.00
06 573	7 / .053	(90 mtr.)	10.0 Sq.mm CTS	5	3275.00
06 574	7 / .067	(90 mtr.)	16.0 Sq.mm CTS	5	5140.00
Supplied in Polythene & Cloth packing					
06 579	7 / .034	(450 mtr.)	4.0 Sq.mm CTS	1	9590.00
06 580	7 / .041	(450 mtr.)	6.0 Sq.mm CTS	1	11400.00
Supplied in 450 mtr. PP Reel with carton packing.					

PVC insulated single core sheathed stranded Copper wire (industrial cable) voltage grade 1100 volts as per is:694 twisted.(white)					
Product Code	No. / Dia of Wire in inches.	Length in mtr.	No. / Dia of Wire in Sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 590	3 / .041	(90 mtr.)	2.5 Sq.mm CTS	8	6085.00
06 591	7 / .034	(90 mtr.)	4.0 Sq.mm CTS	5	9435.00
Supplied in 90 mtrs. Cloth & Polythene packing.					
06 595	3 / .041	(450 mtr.)	2.5 Sq.mm CTS	1	30070.00
06 596	7 / .034	(450 mtr.)	4.0 Sq.mm CTS	1	46685.00
Supplied in 450 mtr. PP Reel with carton packing.					

PVC insulated single core sheathed stranded Copper wire voltage grade 1100 volts as per BS:2004:1964, (white) New					
Product Code	No. / Dia of Wire in inches.	Length in mtr.	No. / Dia of Wire in Sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 599	3 / 036	(90 mtr.)	3 / 20 CTS	8	5085.00
Supplied in Polythene & Cloth packing					
06 600	3 / 036	(450 mtr.)	3 / 20 CTS	1	24630.00
Supplied in 450 mtrs. PP Reel with carton packing.					

PVC insulated single core unsheathed SOLID / stranded Copper wire (industrial cable) voltage grade 1100 volts as per IS:694 twisted.					
Product Code	No. / Dia of Wire in inches.	Length in mtrs.	No. / Dia of Wire in Sq.mm	Std. Pkg.M Carton	MRP ₹ Per Coil
06 610	1 / .044	(90 mtr.)	1.0 Sq.mm	-	2210.00
06 611	3 / .032	(90 mtr.)	1.5 Sq.mm	-	3230.00
06 612	3 / .041	(90 mtr.)	2.5 Sq.mm(Eco)	-	5285.00
06 613	3 / .041	(90 mtr.)	2.5 Sq.mm(Hvy)	-	5800.00
06 614	7 / .034	(90 mtr.)	4.0 Sq.mm(Eco)	-	8445.00
06 615	7 / .034	(90 mtr.)	4.0 Sq.mm(Hvy)	-	9540.00
06 616	7 / .041	(90 mtr.)	6.0. Sq.mm	-	12890.00
06 617	7 / .053	(90 mtr.)	10.0. Sq.mm	-	21495.00
06 618	7 / .067	(90 mtr.)	16.0. Sq.mm	-	29130.00
06 619	19 / .051	(90 mtr.)	25.0. Sq.mm	-	54065.00
06 620	19 / .060	(90 mtr.)	35.0. Sq.mm	-	74825.00
06 621	19 / .070	(90 mtr.)	50.0. Sq.mm	-	102085.00
06 622	37 / .061	(90 mtr.)	70.0. Sq.mm	-	152210.00
06 623	37 / .071	(90 mtr.)	95.0. Sq.mm	-	208390.00
06 624	37 / .080	(90 mtr.)	120.0. Sq.mm	-	264290.00
Supplied in 90 mtr. Cloth & polythene packing.					
06 634	7 / .034	(450 mtr.)	4.0. Sq.mm(Eco)	-	41765.00
06 635	7 / .034	(450 mtr.)	4.0. Sq.mm(Hvy)	-	47175.00
Supplied in 450 mtr. PP Reel with carton packing.					

PVC insulated multi core round sheathed solid Alluminium cable upto and including 1100 volt (black).					
Product Code	No. / Dia of Wire in MM.	No. / Dia of Wire in Sq.mm	No. of Core	Std. Pkg.M Carton	MRP ₹ Per Coil
06 641	1 /0.089	4.0 Sq.mm	2 Core	-	3570.00
06 642	1 /0.089	4.0 Sq.mm	3 Core	-	4585.00
06 644	1 /0.110	6.0 Sq.mm	2 Core	4	4515.00
06 645	1 /0.110	6.0 Sq.mm	3 Core	3	6325.00
06 646	1 /0.110	6.0 Sq.mm	4 Core	2	8270.00
06 647	1 /0.140	10.0 Sq.mm	2 Core	3	6810.00
06 648	1 /0.140	10.0 Sq.mm	3 Core	3	9165.00
06 649	1 /0.140	10.0 Sq.mm	4 Core	2	12195.00
Supplied in 90 mtr Woven polythene & Drum packing					
06 650	1 /0.089	4.0 Sq.mm	2 Core	1	17840.00
06 651	1 /0.089	4.0 Sq.mm	3 Core	1	22910.00
06 653	1 /0.110	6.0 Sq.mm	2 Core	1	22570.00
06 654	1 /0.110	6.0 Sq.mm	3 Core	1	31620.00
06 655	1 /0.110	6.0 Sq.mm	4 Core	1	41340.00
06 656	1 /0.140	10.0 Sq.mm	2 Core	1	34035.00
06 657	1 /0.140	10.0 Sq.mm	3 Core	1	45815.00
06 658	1 /0.140	10.0 Sq.mm	4 Core	1	60970.00
Supplied in 450 mtr Woven bag & Drum packing					

Colours available: Red, Yellow, Blue, Black & Green
 Project Packing: 180mtr & 270 mtr in Pouch Packing.
 Packing: Orders should be in standard Packing only.
 GST: As applicable.

Purchase orders placed are subject to our confirmation & availability. This price-list supercedes all our earlier Price-Lists. Goods are dispatched by us on Purchaser's risk All Claims for loss, damage or shortage should be filed by the Purchasers directly with the carriers. Company reserve the rights to change the Price List without Prior Notice. Disputes, if any, are subject to Bhiwadi (Rajasthan) jurisdiction.

As per international practice which is also adopted by Bureau of Indian Standards, the diameter of the conductor shown above is nominal. The size of the conductor is determined by its resistance. The construction of the conductor is as per market convention and should be treated as a guide line only. It may vary within the limits of IS : 8130 :1994 with its related classes and tables.

The item marked * are new stock items, Please refer to the marketing dept. for delivery schedule.



SCAN this QR-code with your smart phone to know more about



GOLDMEDAL ELECTRICALS PVT.LTD

531-E(SPA), RIICO Industrial Area, Phase 1, Bhiwadi, Dist. - Alwar, Rajasthan - 301019. India E-mail : wires@goldmedalindia.com www.goldmedalindia.com

Customer Care No. : 01493-222342

