





Shaping the
**FOOTWEAR
INDUSTRY'S
FOUNDATION**



Your raw material partner in crafting the future

COMMITMENT
POSSIBILITY
INNOVATION
LEGACY



Beyond materials building a **BETTER WORLD**

The world has evolved from walking barefoot on rugged paths to moving through cities, stadiums, and boardrooms. Footwear has kept pace, transforming from simple coverings to engineered designs that support every journey. At Rajshila, we believe **every step reflects human progress, resilience, and the trust** that carries us forward together.

For over 40 years, we've been the unseen force beneath these journeys, bridging the gap between suppliers and manufacturers with materials that don't just build products, but create experiences. Our portfolio begins with **high-quality polymers** that form the backbone of every footwear, followed by **fillers that optimise cost** and enhance volume. **Plasticizers** come next, adding flexibility to the compound. **Curing agents** then strengthen and stabilise the structure, while our **performance additives** and enhancers ensure superior grip, durability, and long-lasting comfort with every step.

Beyond materials, what we truly offer is trust. We stand beside our partners as allies, bringing deep technical expertise, a wide product spectrum, and strategically planned inventories backed by our understanding of market price shifts, seasonal production cycles, and demand surges that keep operations running with certainty.

Across India, Japan, America, Europe and the Middle East, our presence is rooted, trusted, and strong. From athletic shoes needing flexibility and rebound, to casual and formal footwear demanding lightweight comfort and premium finish, **our solutions ensure consistent performance and reliability, every time.**

At Rajshila, we build strong foundations for industries to stand on. Every partnership is rooted in commitment, deep understanding, and solutions that deliver real results. When you choose Rajshila, you choose quality and support that stands by you. We don't just provide products; we bring **global knowledge, market trends, and seasonal insights** that help you plan better. For us, it's not just about your next step, it's about ensuring you stand strong on solid ground.

BACKBONE BEHIND EVERY PARTNERSHIP



Technical expertise



Global network



Robust logistics



End consumer supply




Wide product spectrum



Adequate stock level

Strengthened by those we TRUST

 MADHU SILICA Precipitated Silica	 Himadri Carbon Black	 Nouryon DCP (Organic Peroxides) Expancel (Blowing Agents)	 Relflex™ ELASTOMERS Stretching Limits SBR & PBR	 versalis EPDM, SSBR, NBR SEBS, EVA	 LVE EPDM & SSBR
 WACKER Silicone Emulsion & Oil Geniplast Gum & Pelets	 FARIDA 方锐达 TAIC & TMPTMA	 LG CHEM NBR & SBS EVA & POE	 HUNTSMAN Enriching lives through innovation PU Systems	 Reliance Sibur Elastomers Private Limited A partnership of excellence Butyl Rubber	 TWC TECHNO WAXCHEM RAJESH CHEMICALS Dry Bonding Agent, Super Tackifier Resin Homogenising Agent & Process Additives
 合盛硅业 HOSHINE SILICON Silicone Rubber	 kuraray SEBS, SEPS & SEEPS	 Hanwha TotalEnergies EVA	 OCCL Insoluble Sulphur	 宁夏博远橡胶有限公司 NINGXIA BOYUAN RUBBER CO., LTD. CSM Rubber	 WHOLEMARK SI 69, OCD, BHT DPTT, NA22 & Other Speciality Chemicals
 Payal Group Plasticizers (DOP, DBP, DOA, DINP)	 TW Water Based Mould Release Agent Mould Cleaning Agent Mould Anti-tack Agent	 FINORCHEM Accelerators, Antioxidants Antiozonant & Peptizer	 Godrej Stearic Acid	 RITESH INTERNATIONAL LTD. SINCE 1981 Stearic Acid	 HENGHE Hydrocarbon Resin (C9 and C5 Resin)
 Dynasol SBS, SEBS & SIS	 CENTURION Reclaim Rubber	 UPPER INDIA GROUP OF COMPANIES Zinc Oxide	 RUBALLOY® NBR-PVC NBR & PVC	 Titanium Dioxide (Anatase Grade)	 VISWAAT Viswaat Chemicals Ltd. PEG 4000

EVA AND RUBBER HAWAI

For lightweight comfort and reliable durability that supports every step.

These materials bring flexibility, cushioning, and grip together, making them ideal for daily wear and mass-market footwear. Their ease of moulding and cost efficiency make them a preferred choice for Hawai chappals and slippers.

Natural & Synthetic Rubbers, Polymers

- | | | |
|-----------|------------|------------------------------|
| • EVA 18% | • EPDM | • Isoprene Rubber |
| • EVA 28% | • SBR | • Silicone Rubber (Abrasion) |
| • EVA 33% | • SSBR | • Reclaim Rubber |
| • EVA 40% | • SEBS | • Rubberised Compound |
| • POE | • PBR 1220 | • Natural Rubber |

Fillers, Activators, Colourants & Processing Aids


- | | | |
|---------------------------|--------------------|---------------------------------------|
| • Calcium Carbonate | • Petroleum Jelly | • Silicone Gum |
| • Precipitated Silica | • Stearic Acid | • PEG 4000 |
| • Zinc Oxide (Lead Free) | • P. Wax | • DEG |
| • Zinc Stearate | • Titanium Dioxide | • PA44 ZF 16 |
| • MC Wax 654/ 1253 | • Wood Rosin | • Technic 60 NSH Homogenising Agent |
| • Petroleum Resin (C9/C5) | • Carbon Black | • Carbon Black (Masterbatch) |

Curatives (Peroxide and Sulphur System) & Blowing Agents

- | | | |
|-----------------------------|----------------|----------------------------|
| • Perkadox BC- FF (DCP 99%) | • Trigonox 101 | • MBT |
| • Perkadox BC-40 | • TMPTMA | • MBTS |
| • Perkadox 14S-FL | • TAIC | • ADCL (Blowing Agent) |
| • Perkadox 14-40 B-PD | • Sulphur | • Expancel (Blowing Agent) |
| • Perkadox PD-50-SPS | • SP Oil | |

Mold Releasing Agents, Mold Cleaner & Shining Agents

- | | | |
|----------------------|----------------------|--------------------------------|
| • Wacker Silicone HS | • Wacker E40 | • DiamondKote W123 |
| • Wacker E41 M | • Wacker E83 | • Akvarel 450 |
| • Wacker E 74M | • DiamondKote W3005E | • Frankleen 22% (Mold Cleaner) |



PVC

For versatile, cost-effective applications that adapt to diverse footwear needs.

PVC offers excellent abrasion resistance and design flexibility, making it suitable for sandals, casual shoes, and affordable footwear segments. Its durability ensures products stay in use longer, even in tough conditions.

- PVC Resin
- DINP
- DIBP
- CPW
- DOA
- DOP
- Carbon Black
- NBR
- Stearic Acid
- Calcium Carbonate
- ADCL (Blowing Agent)
- Expancel (Blowing Agent)
- Carbon Black (Masterbatch)



PU SYSTEMS & TPU

For advanced strength, comfort, and design precision in premium footwear.

PU systems provide superior cushioning and wear resistance, while TPU adds toughness and sleek finishes to soles. Together, they enable manufacturers to craft shoes that combine comfort, aesthetics, and long-lasting performance.

Casual Footwear

- DALTOPED AF 55855
- DALTOPED FF 55750
- DALTOPED AF 35443

Low Density

- DALTOPED 32480

Double Density Midsole

- DALTOPED AF 33100
- DALTOPED AF 32802

Soft & Sports Footwear

- DALTOPED AF 40251

Safety Footwear

- DALTOPED FA 66860
- DALTOPED FA 54806
- DALTOPED FA 16808

Unit Sole

- DALTOPED AF 45100
- DALTOPED AF 65100
- DALTOPED AF 38500

Footbed

- DALTOPED AF 32100

TPU Outsole

- AVALON 65 AK
- IROGRAN 70



WHERE FORMULATION MEETS FUNCTIONALITY

TPR

For flexible, durable soles that deliver high performance with excellent grip and resilience.

TPR combines the processing ease of thermoplastics with the strength of rubber, resulting in soles that are tough yet comfortable. Its recyclability and consistent quality make it a reliable choice for a range of footwear.

- SBS
- SEBS
- EVA
- Carbon Black
- Stearic Acid
- Precipitated Silica
- Titanium Dioxide
- Petroleum Resin (C9/C5)
- Wood Rosin
- ADCL (Blowing Agent)
- Expancel (Blowing Agent)
- Carbon Black (Masterbatch)

ARTIFICIAL LEATHER

For strong, flexible, and leather-like finishes in footwear.

These materials ensure durable uppers with uniform texture, easy processing, and reliable resistance to wear and moisture.

- PVC Resin
- DOP
- DINP
- DOTP
- CPW
- Calcium Carbonate
- Carbon Black
- Titanium Dioxide
- ADCL (Blowing Agent)
- Expancel (Blowing Agent)
- Carbon Black (Masterbatch)



PRODUCTS

NATURAL & SYNTHETIC RUBBERS, POLYMERS

- RMA

• SBR

• PBR

• NBR

• SSBR
- Butyl Rubber

• Chlorobutyl Rubber

• Isoprene Rubber

• Chloroprene Rubber

• SBS (Dry & Transparent)
- EPDM

• POE

• PVC Resin

• CSM Rubber

• Silicone Rubber
- EVA 18%/ 26%/ 28%

• EVA 33018/ 33045

• EVA 40055

• Silicone Gum

• ACM
- SEBS

• SEPS

• SEEPS

• FKM

FILLERS, ACTIVATORS, COLOURANTS

- Precipitated Silica

• Carbon Black

• Speciality Carbon Black

• Zinc Oxide

• Calcium Carbonate
- Stearic Acid

• Zinc Stearate

• DEG

• PEG 4000

• Reclaim Rubber
- Magnesium Oxide

• Titanium Dioxide

• Paraffin Wax

• M.C. Wax

• Carbon Black (Masterbatch)

PLASTICIZERS AND TACKIFYING AGENTS

- DOP

• DBP

• DINP
- DINA

• DOA

• Petroleum Resin (C5/C9)
- DOTP

• CPW

• TOTM
- Petroleum Jelly

• Wood Rosin

CURATIVES (PEROXIDE SYSTEM)

- Perkadox BC-FF (DCP 99%)

• Perkadox BC-40

• Perkadox 14-40 B-PD (Non Smell Peroxide)

• Perkadox PD50 Paste (Silicone Based Peroxide)
- Perakdox 14S-FL

• Trigonox 101 (Liquid Peroxide)

• Trigonox 29-40

• Trigonox 301

• Trigonox B
- CURING BOOSTER

• TAIC E-50%

• TAIC P-70%

• TAIC S-100%

• TMPTMA (Fast Curing)

CURATIVES (SULPHUR SYSTEM)

- Sulphur

• Insoluble Sulphur

• S-80 (Masterbatch)
- MBT

• MBTS

• CBS
- TBBS

• TMT

• DPG
- ZDEC

• ZMBT

• Mercure F
- TMQ

• SP

• Mertard PVI
- 6PPD

• Eflow DBD 40

• Elastotack CH
- Mernox 445

• Mernox CPL

PU SYSTEMS

- CASUAL FOOTWEAR

• DALTOPED AF 55855

• DALTOPED FF 55750

• DALTOPED AF 35443
- LOW DENSITY

• DALTOPED 32480
- DOUBLE DENSITY FOOTWEAR

• DALTOPED AF 33100

• DALTOPED AF 32802
- SAFETY FOOTWEAR

• DALTOPED FA 66860

• DALTOPED FA 54806

• DALTOPED FA 16808
- UNIT SOLE

• DALTOPED AF 45100

• DALTOPED AF 65100

• DALTOPED AF 38500
- SOFT & SPORTS FOOTWEAR

• DALTOPED AF 40251
- TPU OUTSOLE

• AVALON 65 AK

• IROGRAN 70
- FOOTBED

• DALTOPED AF 32100

SPECIALITY CHEMICALS

- NA22

• BHT
- SI69

• DPTT
- OCD

• DTDM

PROCESSING AIDS AND SPECIALITY WAXES

- ZF 16

• ZF 222

• ZF 42

• PA50P
- ZF 212

• Rubwax 1244

• Phenolic Resin

• PA44
- Homogeniser

• Double Peak Waxes

• MFI Improver

• PA70
- High Temperature Resistant Waxes

• Microcrystalline Wax (Single & Double Peak)

BLOWING AGENTS

PHYSICAL BLOWING AGENT (MICROSPHERES)

- DRY UNEXPANDED

• Expancel 938 DU 120

• Expancel 930 DU 120

• Expancel 909 DU 80

• Expancel 031 DU 40

• Expancel 920 DU 40

• Expancel WB 500
- WET UNEXPANDED

• Expancel 031 WUF 40

• Expancel 007 WU 40

• Expancel 007 WUF 40

• Expancel 053 WU 40

• Expancel 043 WU 80

• Expancel 920 WUF 40

• Expancel 909 WU 80
- DRY EXPANDED

• Expancel 920 DET 40 d25

• Expancel 920 DET 20 d40

• Expancel 920 DE 40 d30

• Expancel 920 DE 80 d30

• Expancel HP92 DET 80 d45

• Expancel 043 DET 80 d20
- WET EXPANDED

• Expancel 920 WE 40 d24

• Expancel 921 WE 40 d24

• Expancel 044 WE 20 d36

CHEMICAL BLOWING AGENT (ADCL)

- RJ-AC 50

DRY BONDING SYSTEM

- Resorcinol Dispersion

• Resorcinol Resin

• HMMM Resin & Dispersions
- HMT Dispersions

• Super Tackifier Resin

• Tackifier Resin
- Reinforcing Phenolic Resin

• Cut & Chipping Resistance

• Resorcinol Dipping Resin

SILICONE EMULSION, MOLD RELEASE AGENT AND MOLD CLEANERS

- Silicone HS

• Silicone E 74M

• Silicone E41 M

• Silicone E83
- Silicone E40

• Silicone Fluid 350

• Silicone Fluid 1000

• Silicone Gum
- Liquid Anti Tack

• Mold Cleaner

• F-22 (Mold Cleaner)

• W123 (Anti Tack Agent)
- Mold Release Agent

• Akvarel 315S

• Akvarel 450

PHARMA GRADES

- Pharmalene FC20 PH
- Pharmalene FL35 PH

PRODUCTS



Corporate office:

116-117, 1st Floor, NDM - 2
Netaji Subhash Place
New Delhi-110034

Key Contacts:

Raj Kumar Agarwal : +91 98712 93424
Amit Agarwal : +91 99100 15465
Kapil Goyal : +91 99901 98000

For Business Enquiries Contact:

Email : info@rajshila.com
Website : www.rajshila.com



Warehouse Facility

Delhi

KH NO. 391, 408 & 409
Extended Lal Dora, Alipur
North West Delhi, 110036

Haryana

Plot no. 105, Sector-6
Faridabad, Haryana, 121006

West Bengal

Dag No.161, 2266, 2267, 2268
Sankrail Industrial Park
NH 6 within mouza, Kandua
Bhagabatipur, Howrah
West Bengal, 711302