मॅंकोझेब 75% डब्ल्यू.पी.

... स्पर्शीय बुरशीनाशक

મેન્કોઝેબ 75% ડબ્લ્યુ.પી.

... સ્પર્શી ફૂગનાશક

ਮਨਕੋਜ਼ੇਬ 75% ਡਬਲਿਊ.ਪੀ.

...ਸਪਰਸ਼ੀ ਉੱਲੀਮਾਰ ਦਵਾਈ

मेन्कोज़ेब 75% डब्ल्यू.पी.

(स्पर्शीय फफूंदनाशक)

MANCOZEB 75% W.P.

(CONTACT FUNGICIDE)

It is a Co-ordination product of Zinc & Manganese ethylene bisdithiocarbamate and contact fungicide based on Mancozeb Tech. conataining 75% w/w active ingredient and balance adjuvants.

Recommendations :

Crop(s)	Common name of diseases	Dosage /Ha A.I. (kg.)	Formulation (kg.)	Dilution in water (Ltr.)	Waiting Period between last spray to harvest (in days)
Potato	Late blight Early blight	1.125-1.5	1.5-2	750	-
Tomato	Late blight Buck eye rot leaf spot	1.125-1.5	1.5-2	750	-
Wheat	Brown & black rust blight	1.125-1.5	1.5-2	750	-
Maize	Leaf blight Downy mildew	1.125-1.5	1.5-2	750	-
Paddy	Blast	1.125-1.5	1.5-2	750	-
Jowar	Leaf spot	1.125-1.5	1.5-2	750	-
Banana	Tip rot, Signatoka Leaf spot Cigarend rot	1.125-1.5	1.5-2	1000	-
Apple	Scab & sooty blotch	22.5 gms per tree	30 gms/tree	10 ltr/tree	-
Grapes	Angular leafspot	1.125-1.5	1.5-2	750	-
	Downy mildew	1.125-1.5	1.5-2	750	
	Anthracnose	1.125-1.5	1.5-2	750	
Guava	Fruit rot	15 gms	20 gms	10/tree	-

Direction of use : Mainly foilar spray and also soil drench. Knapsack sprayer, foot sprayer, compression knapsack sprayer, compression knapsack battery sprayer, ASPEE-HTP power sprayer.

Precautions :

Caution : While handling the fungicide workers and users must wear full protective clothing like long sleeved shirts, long pants, chemical ressistant gloves, shoes, googles, hat, and mask.

Precautions :

1. Keep away from foodstuffs, empty food stuff containers and animals food.
2. Avoid contact with mouth, eyes and skin.
3. Avoid inhalation the spray mist. Spray in the direction of wind.
4. Wash thoroughly the contaminated clothes and parts of the body after spraying.
5. Do not smoke, drink, eat and chew anything while spraying.
6. Wear full protective clothing while mixing and spraying.

Phytotoxicity :

The product is not phytotoxic when used as per field recommendation.

Symstoms of Poisoning :

Eaching tightness in chest, palpitation, hypotension, nausea, vomiting, diarrhea, hypothermia and ataxia may occur.

First Aid :

1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious.
2. If clothing and skin are contaminated, remove the clothes and wash the contaminated skin with copious amount of soap and water.
3. If eyes are containinated, flush with plenty of saline/clean water for about 10 to 15 minutes.
4. If inhaled, remove the patient to fresh air.

Antidote : No specific antidote is known. Treat Symptomatically.

Disposal of used containers :

1. It shall be the duty of manufactures, formulators and operator to dispose packages or surplus materials and washings from the machine and container shall be disposed off in a safe manner so as to prevent environmental and water pollution.
2. The used packages shall not be left outside to prevent their re-use.
3. Packages shall be broken and burried away from habitation.

Storage Conditions :

1. The packages containing the material shall be stored in separater rooms or premises away from the rooms or premises used for storing other articles or shall be kept in separate almirahs under lock and key depending upon the quantity and nature of the material.
2. The rooms or premises meant for storing the material shall be well built, dry, well-lit, and ventilated and of sufficient dimensions to avoid contaminated with vapours.

Chemical composition :

Mancozeb Technical (Based on 85% w/w a.i.)	88.230% w/w
Suspending agent (Gum)	2.000% w/w
dispersing agent (Alkyl naphthyl sulphonate)	2.000% w/w
Surface active agent (Sodium salt of alkyl aryl sulphonate)	2.000% w/w
China clay	5.770% w/w
Total	100.00% w/w

AgroStar®

PANACAM45

Mancozeb 75% W.P.

(Contact Fungicide)

पनाका एम४५

मेन्कोजेब ७५प्रतिशत घुलनशील पाउडर

(स्पर्शीय फफूंदीनाशक)

READ ENTIRE LEAFLET BEFORE USE

इस्तेमाल के पहले पूरा पर्चा पढ़ें ।

FOR AGRICULTURAL USE

कृषि उपयोग के लिए

Manufactured & Marketed by:
ULINK AGRITECH PVT. LTD.
Reg Office: 106 (B&c), 6th Floor, E-space IT Park, A1 Building, 46/1 Nagar Road, Pune, Maharashtra 411014

निर्माता और विपणनकर्ता:
यूलिंक एग्रीटेक प्राइवेट लिमिटेड.
पंजीकृत कार्यालय 106 (बी और सी), छठी मंजिल, ई-स्पेस आईटी पार्क, ए 1 बिल्डिंग, 46 / 1 नगर रोड, पुणे, महाराष्ट्र 411014

Factory Address:
Shed No. 73/B, Survey No 73, Juni Jithardi, Taluka Karjan, District- Vadodara, Gujarat- 391240, India.

फॅक्टरी का पता:
शेड नं. 73 / बी, सर्वे नं. 73, जूनी जिठारदी, तहशील- करजन , जिला- वडोदरा, गुजरात- 391240, इंडिया.

ಮನ್‌ಕೋಜೆಬ್ 75% ಡಬ್ಲ್ಯು.ಪಿ.

...ಸ್ಪರ್ಶ ಶಿಲೀಂಧ್ರನಾಶಕ

மான்கோஸெப் 75% டபிள்யு.பி.

...காண்டேக்ட் நோய்க்கொல்லி

మన్‌కోజెబ్ 75% డబ్ల్యు.పి.

...శిలీంధ్రనాశిని

ম্যানকোজেব 75% ডব্লু.পী.

...স্পর্শী ছত্রাকনাশক

ম্যানকো'জেব 75% ডব্লু.পী.

...স্পর্শী ছত্রাকনাশক

مینکوزیب ۷۵٪ ڈبلیو.پی.

(اسپرشیہ پھپھوندکش)