



30 KW

PEAK POWER
(Electrical Power)

145 KM/H

TOP SPEED

610 NM

REAR WHEEL TORQUE

211 KM | 323 KM

INTERCITY RANGE (IDC)



DESIGN

AERO SURFACES

LASER



Turbo Red

DESIGN SERIES

X SERIES - VERSATILE / MULTI-CAPABILITY

SHADOW



Cosmic Black

STANCE

UPRIGHT AND READY TO FIGHT **AIRSTRIKE**



Stellar White

CONSOLE THEME
VECTOR





ALL X47 VARIANTS - HIGHLIGHTS & DIFFERENCES



UV HYPERSENSE Radar technology is a standard feature across all X-47 variants



7.1 kWh Battery Pack

UV Hypersense Radar Tech

Standard Charger

3 Y/60,000 km Battery

Warranty (UV Care)

Dynamic Regen - 3 Levels

Traction Control (On/Off)

UV Supernova Network

Std Connectivity (Wifi+BT)

Dual-Channel ABS

Dynamic Stability Control

Park Assist

DUAL CHANNEL ABS

Hill-Hold

)

ORIGINAL +

7.1 kWh Battery Pack

UV Hypersense Radar Tech

On-Board Charger

5 Y/1,00,000 km Battery

Warranty (UV Care+)

Advanced Ride Control Pack -

4 Levels Of Traction Control + 10 Levels Of Dynamic Regen Braking

UV Supernova & Supernova+ Network

Premium Connectivity

(Wifi+BT+LTE)

Dual-Channel ABS

Dynamic Stability Control

Park Assist

Hill-Hold

Find My X-47

RECON

10.3 kWh Battery Pack

UV Hypersense Radar Tech

Standard Charger

5 Y/1,00,000 km Battery

Warranty (UV Care+)

Advanced Ride Control Pack -

4 Levels Of Traction Control + 10 Levels
Of Dynamic Regen Braking

Crash Protection -Knuckle Guard + Bulbar

UV Supernova &

Supernova+ Network

Premium Connectivity

(Wifi+BT+LTE)

Dual-Channel ABS

Dynamic Stability Control

Park Assist

Hill-Hold

Find My X-47

)

RECON +

10.3 kWh Battery Pack

UV Hypersense Radar Tech

On-Board Charger

5 Y/1,00,000 km Battery

Warranty (UV Care+)

Advanced Ride Control Pack - 4 Levels Of Traction Control + 10 Levels

Of Dynamic Regen Braking

Crash Protection -

Knuckle Guard + Bulbar

Violette A.I. Included

TPMS

UV Supernova &

Supernova+ Network

Premium Connectivity

(Wifi+BT+LTE)

Dual-Channel ABS


Dynamic Stability Control

Park Assist

Hill-Hold

Find My X-47









RECON

 $8.1 \, s$

10 kWh battery pack

PERFORMANCE

PEAK POWER 27 kW (36.2 hp) 30 kW (40.2 hp)

PEAK TORQUE 90 Nm 100 Nm

REAR WHEEL TORQUE 550 Nm 610 Nm

MAX SPEED 145 km/h 145 km/h

ACCELERATION (0-60 KMPH) 2.8 s 2.7 s

ACCELERATION (0-100 KMPH) 8.2 s

RIDE MODES Glide, Combat, Ballistic Glide, Combat, Ballistic

DYNAMIC REGENERATIVE BRAKING 3 levels included 10 levels included

10 levels optional

RANGE ESTIMATES

RANGE (IDC EST.) 211 km 323 km

RANGE GLIDE (AVG. 40 WH/KM) 183 km 266 km

RANGE COMBAT (AVG. 52 WH/KM) 144 km 209 km

RANGE BALLISTIC (AVG. 60 WH/KM) 128 km 186 km

UV HYPERSENSE



GEN6 77 GHZ LONG RANGE RADAR TECHNOLOGY

Rear collision warning Rear collision warning

Lane change assist Lane change assist

Overtake alert Overtake alert

Blindspot Detection Blindspot Detection





RECON
10 kWh battery pack

3447

SAFETY

Auto dimming LED

Headlight

Ultra-V position lamp

Dual LED tail light

assembly

Central brake light

Front and Rear LED Hazard Lights

Sidestand Sensor

TRACTION CONTROL 1 Level included, 4 levels on

Original+ variant

HILL HOLD Included

ABS Mono & Dual channel

D.S.C - DYNAMIC STABILITY CONTROL

Included

Headlight
Ultra-V position lamp

Auto dimming LED

Dual LED tail light

assembly

Central brake light Front and Rear LED

Hazard Lights

Sidestand Sensor

4 Levels included

Included

Mono & Dual channel

Included

CHARGING

CHARGING PORT IEC 62196-6 IEC 62196-6

PORTABLE STANDARD 20%-80% in 3 hr

CHARGER

20% - 80% in 1 hr 20 min

ON-BOARD CHARGER 20% - 80% in 2 hrs 40 min 20% - 80% in 4 hr

(Only for X-47 Original +, Recon + and Desert Wing Variants)

BOOST CHARGER (PARALLEL CHARGING)

(Only for X-47 Original +, Recon + and Desert Wing Variants)

UV SUPERNOVA PLUS

(12KW DC FAST CHARGING NETWORK) 20% - 80% in 40 min

20% - 80% in 60 min

20% - 80% in 2 hr

20%-80% in 5 hr





RECON
10 kWh battery pack

SMART TECH

VIOLETTE A.I Optional Optional

DELTA WATCH Optional Optional

LOCKDOWN Optional Optional

ANTI-COLLISION WARNING SYSTEM Optional Optional

CRASH ALERT Optional Optional

DAILY RIDE ANALYTICS Optional Optional

CONTROL CENTER Multi-function 5" TFT Multi-function 5" TFT

display with tactile inputdisplay with tactile inputswitch console (L+R)switch console (L+R)

OPERATING SYSTEM UV Automotive Linux OS UV Automotive Linux OS

UTILITY

CHARGE LIMIT Included Included

PARK ASSIST Included Included

FIND MY X-47 Included on Original+ Included

DEEP SLEEP Included Included

TPMS Optional Optional

TYPE-C CHARGING Included Included

BATTERY SYSTEM

BATTERY PACK SRB7 SRB10

ENERGY CAPACITY 7.1 kWh 10.3 kWh





RECON

10 kWh battery pack

BATTERY SYSTEM

ENCLOSURE All-Aluminum IP67-rated

Enclosure

BMS & SAFETY PROTOCOLS Battery Management

System with Patented 5-level Safety System -Mechanical, Thermal, Electrical, Electronic & Software Protection All-Aluminum IP67-rated Enclosure

Battery Management System with Patented 5-level Safety System -Mechanical, Thermal, Electrical, Electronic & Software Protection

5 years or 1,00,000 km included

BATTERY & DRIVETRAIN WARRANTY

UV CARE 3 years or 60,000 km included

UV CARE PLUS 5 years or 1,00,000 km optional

5 years or 1,00,000 km included on the

Original + variant

UV CARE MAX N/A 8 years or 8,00,000 km

optional

VEHICLE WARRANTY

STANDARD WARRANTY (VEHICLE) 3 years or 30,000 km* 3 years or 30,000 km*

DRIVETRAIN

MOTOR Permanent Magnet Permanent Magnet

AC Motor AC Motor

THROTTLE CONTROL Ride-by-wire Ride-by-wire





ORIGINAL

7 kWh battery pack

3447

RECON

10 kWh battery pack

MECHANICAL

FRAME Steel Trellis with

Aluminium Bulk Head

FRONT SUSPENSION Upside-down Telescopic

fork with a diameter of 41 mm. Preload adjustable

REAR SUSPENSION Monoshock - preload

adjustable

BRAKE SYSTEM Hydraulic disc brakes with

dual-channel BOSCH ABS

BRAKE CALIPERS Front: Fixed 4-Radial

Piston Type

Rear: Single Piston Floating Caliper Type

BRAKE ROTOR Front: 320mm disc

Rear: 230mm disc

TYRES SIZE Front: 110/70 R17

Rear: 150/60 R17

TYRES MODEL MRF Revz-AT 03

Steel Trellis with

Aluminium Bulk Head

Upside-down Telescopic fork with a diameter of 41 mm. Preload adjustable

Monoshock - preload

adjustable

Hydraulic disc brakes with

dual-channel BOSCH ABS

Front: Fixed 4-Radial

Piston Type

Rear: Single Piston Floating Caliper Type

Front: 320mm disc Rear: 230mm disc

Front: 110/70 R17 Rear: 150/60 R17

MRF Revz-AT 03

DIMENSIONS

WHEEL BASE 1385 mm 1385 mm

SEAT HEIGHT 820 mm 820 mm

SADDLED SEAT HEIGHT 805 mm 805 mm

KERB WEIGHT 197 kg 208 kg

GROUND CLEARANCE 200 mm 200 mm

LENGTH 2060 mm 2060 mm

WIDTH 867 mm 867 mm

HEIGHT 1220 mm 1220 mm